

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
SAN FRANCISCO BAY REGION

ORDER NO. 96-022

NPDES PERMITS NOS. CA0029858, CA0029785, CA0029963, CA0029742, CA0028860, CA0028941, CA0029777, CA0028908, AND CA0029807

RESCISSION OF ORDERS NOS. 92-016, 90-155, 93-145, 90-109, 91-050, 91-077, 90-136, 91-038, AND 91-022, WASTE DISCHARGE REQUIREMENTS FOR: ADVANCED MICRO DEVICES INC., SUNNYVALE; DATA GENERAL CORP., SANTA CLARA; FMC CORP., SANTA CLARA; FORD MOTOR COMPANY (LORAL), PALO ALTO; INTEL CORP., MOUNTAIN VIEW; INTEL CORP.- FACILITY III, SANTA CLARA; PLESSEY INC., MOUNTAIN VIEW; RAYTHEON COMPANY, MOUNTAIN VIEW; AND SILICONIX INC., SANTA CLARA

The California Regional Water Quality Control Board, San Francisco Bay Region (hereinafter Board) finds that:


1. The Board issued the following individual NPDES permits for discharges of extracted, treated groundwater:

Item No.	Discharger Facility Address	Order Number NPDES Number	Date Adopted
1	Advanced Micro Devices Inc. 901 Thompson Place, Sunnyvale	92-016 CA0029858	02/19/92
2	Data General Corp. 433 North Mathilda Avenue, Santa Clara	90-155 CA0029785	2/12/90
3	FMC Corp., Ground Systems Division 328 West Brokaw Road, Santa Clara	93-145 CA0029963	11/19/93
4	Ford Motor Company (Loral) Former Ford Aerospace, 3825 Fabian Way, Palo Alto	90-109 CA0029742	08/15/90
5	Intel Corp. 365 East Middlefield Road, Mountain view	91-050 CA0028860	05/15/91
6	Intel Corp.- Facility III 2880 Northwestern Parkway, Santa Clara	91-077 CA0028941	05/15/91
7	Plessey Inc. 2294 Mora Drive, Mountain View	90-136 CA0029777	10/17/90
8	Raytheon Company 350 Ellis Street, Mountain View	91-038 CA0028908	03/20/91
9	Siliconix Inc. 2201 Laurelwood Road, Santa Clara	91-022 CA0029807	02/20/91

2. Individual NPDES permits are no longer needed for these discharges. All of these discharges are eligible for coverage under NPDES General Permit No. CAG912003, issued by the Board on July 20, 1994, as Order No. 94-087 (general waste discharge requirements). All of these dischargers submitted the technical information required for obtaining coverage under this NPDES General Permit and received an Executive Officer letter of authorization permitting discharge under the above-cited NPDES General Permit.
3. The rescission of waste discharge requirements (NPDES permits) for the discharges is exempt from the provisions of the California Environmental Quality Act (CEQA) pursuant to Section 13389 of the California Water Code.
4. The Board has notified the dischargers and interested agencies and persons of its intent to rescind waste discharge requirements (NPDES permits) for the discharges, and has provided them with an opportunity for a public hearing and an opportunity to submit their written views and recommendations.
5. The Board, in a public meeting, heard and considered all comments pertaining to the discharges.

IT IS HEREBY ORDERED that Board Orders Nos. 92-016, 90-155, 93-145, 90-109, 91-050, 91-077, 90-136, 91-038, and 91-022 are rescinded.

I, Loretta Kahn Barsamian, Executive Officer, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, San Francisco Bay Region, on February 21, 1996.


Loretta Kahn Barsamian
Executive Officer